

Bureau of Land and Water Resources

State Fairgrounds • P.O. Box 19281 • Springfield, IL 62794-9281 • 217/782-6297 • TDD 217/524-6858 • Fax 217/557-0993

September 7, 2016

Mr. Cary Minnis, Executive Director Greater Egypt Regional Planning & Development Commission 3000 W. DeYoung Street, Suite 800B-3 Marion, Illinois 62959

Re: Jefferson County
County Road Improvement
DCEO CDBG Funds in Support of Economic Development

Dear Mr. Minnis:

Thank you for notifying the Illinois Department of Agriculture (IDOA) of Jefferson County's request for Community Development Block Grant (CDBG) funds from the Illinois Department of Commerce and Economic Opportunity (DCEO). The applicant's request has been reviewed for its consistency with the DCEO's Agricultural Land Preservation Policy as well as its compliance with Illinois' Farmland Preservation Act (505 ILCS 75/1 et seq.).

The roadway improvements are required to support a major industrial development. CDBG funds will be used to improve $\pm 4,450$ LF of an existing county roadway to provide the company truck access to the site as well as provide employees with a separate employee entrance resulting in increased safety and efficiency. Currently a 22' wide oil and chip surface, the new road will include two 13' lanes with curb and gutter, and a separate 4' sidewalk. All components will be built to D.O.T. specifications and are planned within its existing right-of-way (ROW).

Because ROW will not be required, the project is exempt from the IDOA's further review in accordance with Section 2 of the IDOA-DCEO Cooperative Working Agreement on the protection of Illinois farmland. We have determined the project is consistent with the DCEO Agricultural Land Preservation Policy and complies with the Illinois Farmland Preservation Act.

However, in the event that additional ROW would be necessary, the project would require further IDOA coordination in order to complete the USDA NRCS Form AD-1006 that tracks farmland conversion when federal funds are involved in a project.

Sincerely,

Steven D. Chard, Acting Chie

Bureau of Land and Water Resources

SDC:TS

cc: Kirk Kumerow, DCEO Agency project file



NRCS

Natural Resources Conservation Service A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

Custom Soil Resource Report for Jefferson County, Illinois



Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (https://offices.sc.egov.usda.gov/locator/app?agency=nrcs) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States
Department of Agriculture and other Federal agencies, State agencies including the
Agricultural Experiment Stations, and local agencies. The Natural Resources
Conservation Service (NRCS) has leadership for the Federal part of the National
Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface	2
How Soil Surveys Are Made	
Soil Map	
Soil Map	
Legend	
Map Unit Legend	
Map Unit Descriptions	
Jefferson County, Illinois.	
10C-Plumfield silty clay loam, 5 to 10 percent slopes	
13A—Bluford silt loam, 0 to 2 percent slopes	
109A—Racoon silt loam, 0 to 2 percent slopes	
376A—Cisne silt loam, bench, 0 to 2 percent slopes	
377A-Hoyleton silt loam, bench, 0 to 2 percent slopes	
518B—Rend silt loam, 2 to 5 percent slopes	
518B2—Rend silt loam, 2 to 5 percent slopes, eroded	
518C2—Rend silt loam, 5 to 10 percent slopes, eroded	
533—Urban land	
536—Dumps, mine	24
639AWynoose silt loam, bench, 0 to 2 percent slopes	24
640A-Bluford silt loam, bench, 0 to 2 percent slopes	
802B—Orthents, loamy, undulating	
3108A—Bonnie silt loam, 0 to 2 percent slopes, frequently flooded	28
3382A—Belknap silt loam, 0 to 2 percent slopes, frequently flooded	29
WWater	
References	31

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.


Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.



This product is generated from the USDA-NRCS certified data as of the version date(s) listed below. distance and area. A projection that preserves area, such as the Maps from the Web Soil Survey are based on the Web Mercalor Date(s) aerial images were photographed: Jun 16, 2011—Oct The orthopholo or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident. projection, which preserves direction and shape but distorts Soil map units are labeled (as space allows) for map scales Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required. Source of Map: Natural Resources Conservation Service The soil surveys that comprise your AOI were mapped at Please rely on the bar scale on each map sheet for map Coordinate System: Web Mercator (EPSG:3857) MAP INFORMATION Soil Survey Area: Jefferson County, Illinois Survey Area Data: Version 9, Sep 16, 2016 Web Soil Survey URL: 1:50,000 or larger. measurements. 15, 2011 Special Line Features Streams and Canals Interstate Highways Aerial Photography Very Stany Spot Major Roads Local Roads Stony Spot **US Routes** Spoil Area Wet Spot Other Rails Water Features Transportation Background MAP LEGEND 8 Ī 1 Soil Map Unit Polygons Severely Eroded Spot Area of Interest (AOI) Miscellaneous Water Soil Map Unit Points Soil Map Unil Lines Closed Depression Marsh or swamp Perennial Water Mine or Quarry Rock Outcrop Special Point Features Gravelly Spot Saline Spot Sandy Spot Slide or Slip Волом Рії Lava Flow Sodic Spot Gravel Pit Area of Interest (AOI) Clay Spot Sinkhole Blowout Landfill ᆌ ijı 9 X Œ. 0 0 > 0 1 Solls

Map Unit Legend

Jefferson County, Illinois (ILOB1)					
Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI		
10C	Plumfield silty clay loam, 5 to 10 percent stopes	5.2	0.4%		
13A	Bluford silt loam, 0 to 2 percent slopes	0.9	0.1%		
109A	Racoon silt loam, 0 to 2 percent stopes	8.9	0.7%		
376A	Cisne silt loam, bench, 0 to 2 percent slopes	10.8	0.8%		
377A	Hoyleton silt loam, bench, 0 to 2 percent slopes	125.6	9.3%		
518B	Rend silt loam, 2 to 5 percent slopes	13.3	1.0%		
518B2	Rend silt loam, 2 to 5 percent slopes, eroded	139.4	10.3%		
518C2	Rend silt loam, 5 to 10 percent slopes, eroded	20.7	1.5%		
533	Urban land	15,4	1.1%		
536	Dumps, mine	109.4	8.1%		
639A	Wynoose silt loam, bench, 0 to 2 percent slopes	252.2	18,7%		
640A	Bluford silt foam, bench, 0 to 2 percent slopes	67.3	5.0%		
802B	Orthents, loamy, undulating	94.2	7.0%		
3108A	Bonnie silt loam, 0 to 2 percent slopes, frequently flooded	309.2	22,9%		
3382A	Belknap silt loam, 0 to 2 percent slopes, frequently flooded	167.5	12.4%		
W	Water	8.8	0.79		
Totals for Area of Interest		1,348.6	100.0%		

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some

observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A complex consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An association is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The

pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An undifferentiated group is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Jefferson County, Illinois

10C-Plumfield silty clay loam, 5 to 10 percent slopes

Map Unit Setting

National map unit symbol: 2wk1l Elevation: 330 to 820 feet

Mean annual precipitation: 38 to 46 inches
Mean annual air temperature: 54 to 58 degrees F

Frost-free period: 180 to 195 days

Farmland classification: Not prime farmland

Map Unit Composition

Plumfield and similar soils: 90 percent Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Plumfield

Setting

Landform: Ground moraines

Landform position (two-dimensional): Shoulder, backslope Landform position (three-dimensional): Side slope, head slope

Down-slope shape: Convex Across-slope shape: Linear

Parent material: Loess over mixed loess and drift over till

Typical profile

Ap - 0 to 5 inches: silty clay loam 2Btx1 - 5 to 12 inches: silty clay loam 2Btx2 - 12 to 36 inches: silt loam 3Btgb - 36 to 70 inches: silty clay loam

Properties and qualities

Slope: 5 to 10 percent

Depth to restrictive feature: 5 to 20 inches to fragipan Natural drainage class: Moderately well drained

Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Moderately low (0.02

to 0.06 in/hr)

Depth to water table: About 18 to 42 inches

Frequency of flooding: None Frequency of ponding: None

Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Sodium adsorption ratio, maximum in profile: 5.0

Available water storage in profile: Very low (about 1.8 inches)

Interpretive groups

Land capability classification (imigated): None specified

Land capability classification (nonirrigated): 4e

Hydrologic Soil Group: D Hydric soil rating: No

Minor Components

Passport, eroded

Percent of map unit: 4 percent

Landform: Hillslopes

Landform position (two-dimensional): Backslope, shoulder

Landform position (three-dimensional): Side slope

Down-slope shape: Convex Across-slope shape: Linear Hydric soil rating: No

Belknap, occasionally flooded

Percent of map unit: 4 percent

Landform: Flood plains

Landform position (three-dimensional): Talf

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Bluford

Percent of map unit: 2 percent Landform: Ground moraines

Landform position (two-dimensional): Summit, shoulder

Landform position (three-dimensional): Rise

Down-slope shape: Convex Across-slope shape: Convex

Hydric soil rating: No

13A-Bluford silt loam, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2t95c Elevation: 360 to 840 feet

Mean annual precipitation: 35 to 46 inches Mean annual air temperature: 53 to 58 degrees F

Frost-free period: 175 to 195 days

Farmland classification: Prime farmland if drained

Map Unit Composition

Bluford and similar soils: 90 percent Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Bluford

Setting

Landform: Ground moraines

Landform position (two-dimensional): Summit Landform position (three-dimensional): Rise

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Loess over mixed loess and drift

Typical profile

Ap - 0 to 7 inches: silt toam
E - 7 to 19 inches: silt toam
Blg - 19 to 35 inches: silty clay
28 to 42 inches: silty clay

2Btgx - 35 to 42 inches: silty clay loam 2Btg - 42 to 60 inches: silty clay loam

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: 10 to 24 inches to abrupt textural change; 24 to 48

inches to fragipan

Natural drainage class: Somewhat poorly drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): Moderately low to

moderately high (0.06 to 0.20 in/hr)

Depth to water table: About 6 to 24 inches

Frequency of flooding: None Frequency of ponding: Nane

Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Sodium adsorption ratio, maximum in profile: 13.0 Available water storage in profile: Low (about 4.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2w

Hydrologic Soil Group: C/D Hydric soil rating: No

Minor Components

Wynoose

Percent of map unit: 10 percent Landform: Ground moraines

Landform position (two-dimensional): Summit Landform position (three-dimensional): Talf

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

109A—Racoon silt loam, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2t960 Elevation: 330 to 820 feet

Mean annual precipitation: 38 to 46 inches Mean annual air temperature: 54 to 58 degrees F

Frost-free period: 180 to 195 days

Farmland classification: Prime farmland if drained

Map Unit Composition

Racoon and similar soils: 90 percent Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Racoon

Setting

Landform: Hillslopes, depressions

Landform position (two-dimensional): Footslope, toeslope

Landform position (three-dimensional): Tread, dip

Down-slope shape: Linear, concave Across-slope shape: Linear, concave

Parent material: Mixture of loess and/or local silty alluvium

Typical profile

Ap - 0 to 6 inches: silt loam
Eg - 6 to 30 inches: silt loam
Btg - 30 to 59 inches: silty clay loam
Cg - 59 to 79 inches: silt loam

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Poorly drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): Moderately low to

moderately high (0.06 to 0.20 in/hr)

Depth to water table: About 0 to 12 inches

Frequency of flooding: None Frequency of ponding: Occasional

Sodium adsorption ratio, maximum in profile: 13.0

Available water storage in profile: High (about 10.9 inches)

Interpretive groups

Land capability classification (imigated): None specified

Land capability classification (nonimigated): 3w

Hydrologic Soil Group: CID Hydric soil rating: Yes

Minor Components

Bluford

Percent of map unit: 5 percent Landform: Ground moraines

Landform position (two-dimensional): Summit Landform position (three-dimensional): Rise

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Bonnie, frequently flooded

Percent of map unit: 5 percent

Landform: Flood plains

Landform position (two-dimensional): Toeslope

Landform position (three-dimensional): Talf

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

376A—Cisne silt loam, bench, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2snm6

Elevation: 360 to 840 feet

Mean annual precipitation: 35 to 46 inches Mean annual air temperature: 54 to 57 degrees F

Frost-free period: 175 to 195 days

Farmland classification: Prime farmland if drained

Map Unit Composition

Cisne, bench, and similar soils: 90 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Cisne, Bench

Setting

Landform: Structural benches

Landform position (two-dimensional): Summit Landform position (three-dimensional): Interfluve

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Peoria silty loess over roxana silty loess

Typical profile

Ap - 0 to 8 inches: silt loam E - 8 to 17 inches: silt loam

Bt1 - 17 to 37 inches: silty clay loam 2Bt2 - 37 to 60 inches: silty clay loam 2C - 60 to 79 inches: silt loam

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: 15 to 23 inches to abrupt textural change

Natural drainage class: Poorly drained

Runoff class: Medium

Capacity of the most limiting layer to transmit water (Ksat): Moderately low to

moderately high (0.02 to 0.20 in/hr)

Depth to water table: About 0 to 12 inches

Frequency of flooding: None Frequency of ponding: None

Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Sodium adsorption ratio, maximum in profile: 13.0

Available water storage in profile: Low (about 3.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonimigated): 3w

Hydrologic Soil Group: C/D Hydric soil rating: Yes

Minor Components

Hoyleton, bench

Percent of map unit: 10 percent Landform: Structural benches

Landform position (two-dimensional): Summit Landform position (three-dimensional): Interfluve

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

377A—Hoyleton silt loam, bench, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2t9t2 Elevation: 360 to 840 feet

Mean annual precipitation: 35 to 46 inches Mean annual air temperature: 53 to 57 degrees F

Frost-free period: 175 to 195 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Hoyleton, bench, and similar soils: 95 percent

Minor components: 5 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Hoyleton, Bench

Setting

Landform: Structural benches

Landform position (two-dimensional): Summit, backslope

Landform position (three-dimensional): Interfluve

Down-slope shape: Linear Across-slope shape: Linear Parent material: Loess over drift

Typical profile

Ap - 0 to 8 inches: silt loam
E - 8 to 11 inches: silt loam
Bt - 11 to 39 inches: silty clay loam

2BCt - 39 to 79 inches: silt loam

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: 2 to 12 inches to abrupt textural change

Natural drainage class: Somewhat poorly drained

Runoff class: High

Capacity of the most limiting layer to transmit water (Ksat): Moderately low to

moderately high (0.06 to 0.60 in/hr)

Depth to water table: About 12 to 24 inches

Frequency of flooding: None Frequency of ponding: None

Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Sodium adsorption ratio, maximum in profile: 13.0

Available water storage in profile: Very low (about 2.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2w

Hydrologic Soil Group: C/D Hydric soil rating: No

Minor Components

Cisne, bench

Percent of map unit: 5 percent Landform: Structural benches

Landform position (two-dimensional): Summit, backslope

Landform position (three-dimensional): Interfluve

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

518B—Rend silt loam, 2 to 5 percent slopes

Map Unit Setting

National map unit symbol: 1npzz

Elevation: 360 to 660 feet

Mean annual precipitation: 35 to 46 inches Mean annual air temperature: 54 to 57 degrees F

Frost-free period: 175 to 195 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Rend and similar soils: 90 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Rend

Setting

Landform: Structural benches

Landform position (two-dimensional): Summit Landform position (three-dimensional): Side slope

Down-slope shape: Convex Across-slope shape: Convex

Parent material: Peoria and roxana loess over outwash or basin fill

Typical profile

H1 - 0 to 8 inches: silt loam
H2 - 8 to 11 inches: silt loam
H3 - 11 to 23 inches: silty clay loam
H4 - 23 to 77 inches: silt loam
H5 - 77 to 80 inches: silt loam

Properties and qualities

Slope: 2 to 5 percent

Depth to restrictive feature: More than 80 inches Natural drainage class: Moderately well drained

Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Low to moderately low

(0.01 to 0.06 in/hr)

Depth to water table: About 24 to 42 inches

Frequency of flooding: None Frequency of ponding: None

Sodium adsorption ratio, maximum in profile: 3.0

Available water storage in profile: Moderate (about 8.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonimigated): 2e

Hydrologic Soil Group: C Hydric soil rating: No

518B2—Rend silt loam, 2 to 5 percent slopes, eroded

Map Unit Setting

National map unit symbol: 1nq00

Mean annual precipitation: 35 to 46 inches
Mean annual air temperature: 54 to 57 degrees F

Frost-free period: 175 to 195 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Rend, eroded, and similar soils: 90 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Rend, Eroded

Setting

Landform: Structural benches

Landform position (two-dimensional): Shoulder, summit Landform position (three-dimensional): Side slope

Down-slope shape: Convex

Across-slope shape: Convex

Parent material: Peoria and roxana loess over outwash or basin fill

Typical profile

H1 - 0 to 8 inches: silt loam H2 - 8 to 23 inches: silty clay loam H3 - 23 to 77 inches: silt loam H4 - 77 to 80 inches: silt loam

Properties and qualities

Slope: 2 to 5 percent

Depth to restrictive feature: More than 80 inches Natural drainage class: Moderately well drained

Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Low to moderately low

(0.01 to 0.06 in/hr)

Depth to water table: About 24 to 42 inches

Frequency of flooding: None Frequency of ponding: None

Sodium adsorption ratio, maximum in profile: 3.0

Available water storage in profile: Moderate (about 8.5 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2e

Hydrologic Soil Group: C Hydric soil rating: No

518C2—Rend silt loam, 5 to 10 percent slopes, eroded

Map Unit Setting

National map unit symbol: 1nq01

Elevation: 360 to 660 feet

Mean annual precipitation: 35 to 46 inches Mean annual air temperature: 54 to 57 degrees F

Frost-free period: 175 to 195 days

Farmland classification: Farmland of statewide importance

Map Unit Composition

Rend, eroded, and similar soils: 90 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Rend, Eroded

Setting

Landform: Structural benches

Landform position (two-dimensional): Backslope, shoulder

Landform position (three-dimensional): Side slope

Down-slope shape: Convex Across-slope shape: Convex

Parent material: Peoria and roxana loess over outwash or basin fill

Typical profile

H1 - 0 to 8 inches: silt loam
H2 - 8 to 23 inches: silty clay loam
H3 - 23 to 77 inches: silt loam
H4 - 77 to 80 inches: silt loam

Properties and qualities

Slope: 5 to 10 percent

Depth to restrictive feature: More than 80 inches Natural drainage class: Moderately well drained

Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Low to moderately low

(0.01 to 0.06 in/hr)

Depth to water table: About 24 to 42 inches

Frequency of flooding: None Frequency of ponding: None

Sodium adsorption ratio, maximum in profile: 3.0

Available water storage in profile: Moderate (about 8.5 inches)

Interpretive groups

Land capability classification (irrigated): None specified Land capability classification (nonirrigated): 3e

Hydrologic Soil Group: C Hydric soil rating: No

533—Urban land

Map Unit Setting

National map unit symbol: 1nq02

Mean annual precipitation: 35 to 46 inches Mean annual air temperature: 54 to 57 degrees F

Frost-free period: 175 to 195 days

Farmland classification: Not prime farmland

Map Unit Composition

Urban land: 85 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Urban Land

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonimigated): 8

Hydric soil rating: No

536—Dumps, mine

Map Unit Setting

National map unit symbol: 1nq03

Mean annual precipitation: 35 to 46 inches
Mean annual air temperature: 54 to 57 degrees F

Frost-free period: 175 to 195 days

Farmland classification: Not prime farmland

Map Unit Composition

Dumps, mine: 90 percent Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Dumps, Mine

Setting

Parent material: Mine spoil, industrial refuse or slag

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 8

Hydric soil rating: No

Minor Components

Orthents, loamy

Percent of map unit: 10 percent

Landform position (two-dimensional): Backslope, shoulder, summit

Down-slope shape: Convex Across-slope shape: Convex

Hydric soil rating: No

639A—Wynoose silt loam, bench, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2t95n Elevation: 360 to 840 feet

Mean annual precipitation: 35 to 46 inches
Mean annual air temperature: 53 to 58 degrees F

Frost-free period: 175 to 195 days

Farmland classification: Farmland of statewide importance

Map Unit Composition

Wynoose, bench, and similar soils: 90 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Wynoose, Bench

Settina

Landform: Structural benches

Landform position (two-dimensional): Summit Landform position (three-dimensional): Talf

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Loess over mixed loess and drift over ablation till

Typical profile

Ap - 0 to 7 inches: silt loam
Eg - 7 to 19 inches: silt loam
Btg - 19 to 36 inches: silty clay
2Btg - 36 to 66 inches: silty clay loam
3Btgb - 66 to 79 inches: silty clay loam

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: 13 to 24 inches to abrupt textural change

Natural drainage class: Poorly drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): Moderately low to

moderately high (0.02 to 0.20 in/hr)

Depth to water table: About 0 to 12 inches

Frequency of flooding: None Frequency of ponding: Frequent

Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Sodium adsorption ratio, maximum in profile: 12.0 Available water storage in profile: Low (about 4.2 inches)

interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonimigated): 3w

Hydrologic Soil Group: CID Hydric soil rating: Yes

Minor Components

Bluford, bench

Percent of map unit: 10 percent Landform: Structural benches

Landform position (two-dimensional): Backslope Landform position (three-dimensional): Rise

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

640A—Bluford silt loam, bench, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 1nq07 Elevation: 360 to 660 feet

Mean annual precipitation: 35 to 46 inches
Mean annual air temperature: 54 to 57 degrees F

Frost-free period: 175 to 195 days

Farmland classification: Prime farmland if drained

Map Unit Composition

Bluford, bench, and similar soils: 90 percent

Minor components: 5 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Bluford, Bench

Setting

Landform: Structural benches

Landform position (two-dimensional): Summit

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Peoria and roxana loess over outwash or basin fill

Typical profile

H1 - 0 to 7 inches: silt loam
H2 - 7 to 20 inches: silt loam
H3 - 20 to 35 inches: silty clay
H4 - 35 to 60 inches: silty clay loam

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: 7 to 24 inches to abrupt textural change; 21 to 55

inches to fragipan

Natural drainage class: Somewhat poorly drained

Runoff class: Medium

Capacity of the most limiting layer to transmit water (Ksat): Moderately low to

moderately high (0.06 to 0.20 in/hr)

Depth to water table: About 6 to 24 inches

Frequency of flooding: None Frequency of ponding: None

Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Sodium adsorption ratio, maximum in profile: 5.0 Available water storage in profile: Low (about 3.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2w

Hydrologic Soil Group: C/D

Hydric soil rating: No

Minor Components

Wynoose, bench

Percent of map unit: 5 percent Landform: Structural benches

Landform position (two-dimensional): Summit, shoulder, backslope

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

802B—Orthents, loamy, undulating

Map Unit Setting

National map unit symbol: 1nq08

Elevation: 330 to 660 feet

Mean annual precipitation: 35 to 46 inches Mean annual air temperature: 52 to 57 degrees F

Frost-free period: 170 to 200 days

Farmland classification: Not prime farmland

Map Unit Composition

Orthents, loamy, and similar soils: 90 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Orthents, Loamy

Settina

Landform position (two-dimensional): Backslope, shoulder, summit

Down-slope shape: Convex Across-slope shape: Convex Parent material: Earthy fill

Typical profile

H1 - 0 to 6 inches: silt loam H2 - 6 to 60 inches: silt loam

Properties and qualities

Slope: 0 to 5 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Well drained

Runoff class: Medium

Capacity of the most limiting layer to transmit water (Ksat): Moderately high (0.20

to 0.60 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Available water storage in profile: High (about 10.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonimigated): 2e

Hydrologic Soil Group: C Hydric soil rating: No

3108A—Bonnie silt loam, 0 to 2 percent slopes, frequently flooded

Map Unit Setting

National map unit symbol: 2tbrr Elevation: 330 to 490 feet

Mean annual precipitation: 35 to 46 inches
Mean annual air temperature: 54 to 57 degrees F

Frost-free period: 175 to 195 days

Farmland classification: Prime farmland if drained and either protected from flooding

or not frequently flooded during the growing season

Map Unit Composition

Bonnie, frequently flooded, and similar soils: 90 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Bonnie, Frequently Flooded

Setting

Landform: Flood plains

Landform position (two-dimensional): Toeslope Landform position (three-dimensional): Talf

Down-slope shape: Linear Across-slope shape: Linear Parent material: Alluvium

Typical profile

Ap - 0 to 10 inches: silt loam Cg1 - 10 to 27 inches: silt loam Cg2 - 27 to 79 inches: silt loam

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Poorly drained

Capacity of the most limiting layer to transmit water (Ksat): Moderately high (0.20

to 0.60 in/hr)

Depth to water table: About 0 to 12 inches

Frequency of flooding: Frequent Frequency of ponding: Frequent

Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Available water storage in profile: Very high (about 12.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonimigated): 3w

Hydrologic Soil Group: CID Hydric soil rating: Yes

Minor Components

Belknap

Percent of map unit: 10 percent

Landform: Flood plains

Landform position (two-dimensional): Toeslope Landform position (three-dimensional): Talf

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

3382A—Belknap silt loam, 0 to 2 percent slopes, frequently flooded

Map Unit Setting

National map unit symbol: 2tbrv Elevation: 330 to 490 feet

Mean annual precipitation: 35 to 46 inches Mean annual air temperature: 54 to 57 degrees F

Frost-free period: 175 to 200 days

Farmland classification: Prime farmland if drained and either protected from flooding

or not frequently flooded during the growing season

Map Unit Composition

Belknap, frequently flooded, and similar soils: 90 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Belknap, Frequently Flooded

Setting

Landform: Flood plains

Landform position (three-dimensional): Talf

Down-slope shape: Linear Across-slope shape: Linear Parent material; Silty alluvium

Typical profile

Ap - 0 to 7 inches: silt loam Bw - 7 to 59 inches: silt loam Bg - 59 to 79 inches: silt loam

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches Natural drainage class: Somewhat poorly drained

Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to

high (0.20 to 2.00 in/hr)

Depth to water table: About 6 to 24 inches

Frequency of flooding: Frequent Frequency of ponding: None

Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0

mmhos/cm)

Available water storage in profile: Very high (about 12.7 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 3w

Hydrologic Soil Group: B/D Hydric soil rating: No

Minor Components

Bonnie, frequently flooded

Percent of map unit: 5 percent

Landform: Flood plains

Landform position (two-dimensional): Toeslope Landform position (three-dimensional): Talf

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

Piopolis, frequently flooded

Percent of map unit: 5 percent

Landform: Flood plains

Landform position (two-dimensional): Toeslope Landform position (three-dimensional): Talf

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

W-Water

Map Unit Composition

Water: 100 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Water

Setting

Landform. Oxbows, channels, drainageways, rivers, perenial streams, lakes

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonimigated): 8w

References

American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.

American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2 053577

Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374

United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service, 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

3/2/2017 Page 1 of 3

Web Soil Survey National Cooperative Soil Survey

> Natural Resources Conservation Service

8

Conservation Service

	Storry Spot	0
1:12.000.		O
The soil sun	Spod Area	۵

Please rely on the bar scale on each map sheet for map measurements.

veys that comprise your AOI were mapped at

MAP INFORMATION

Source of Map: Natural Resources Conservation Service Coordinate System: Web Mercator (EPSG:3857) Web Soil Survey URL:

Maps from the Web Soil Survey are based on the Web Mercalor distance and area. A projection that preserves area, such as the projection, which preserves direction and shape but distorts Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required. This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Jefferson County, Illinois Survey Area Data: Version 9, Sep 16, 2016

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger. Date(s) aerial images were photographed: Jun 16, 2011—Oct

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

MAP LEGEND

Areaofin	Area of Interest (AUI)	W	Spor Suga
	Area of Interest (AOI)	0	Stony Spot
Solls		6	Very Stony Snot
Γ	Soil Man Unit Polygons	3	
		Clar.	Wet Soot
7	Sod Map Unit Lines	>	-
		<	Other
E	Sod Map Unit Points	3	
1			Special Line Feat
Special	Special Point Features		
107	Blowout	Water Features	tures
•			Streams and Can

Ine Features



Borrow Pit

Clay Spol



Closed Depression

Gravelly Spot

Gravel Pit





Marsh or swamp

Lava Flow

Landfill

Mine or Quarry











Rock Outcrop

Saline Spot Sandy Spot Severely Eroded Spot


Slide or Slip

Sinkhole 0 Sodic Spot


WSDA W

Map Unit Legend

Jefferson County, Illinois (IL081)					
Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI		
10C	Plumfield silty clay loam, 5 to 10 percent slopes	5.2	0.4%		
13A	Bluford silt loam, 0 to 2 percent slopes	0.9	0.1%		
109A	Racoon silt loam, 0 to 2 percent slopes	8.9	0.7%		
376A	Cisne silt loam, bench, 0 to 2 percent stopes	10.8	0,8%		
377A	Hoyleton silt loam, bench, 0 to 2 percent slopes	125.6	9.3%		
518B	Rend silt loam, 2 to 5 percent slopes	13.3	1.0%		
51882	Rend silt loam, 2 to 5 percent stopes, eroded	139.4	10,3%		
518C2	Rend silt loam, 5 to 10 percent slopes, eroded	20.7	1.5%		
533	Urban land	15.4	1.1%		
536	Dumps, mine	109.4	8,1%		
639A	Wynoose silt loam, bench, 0 to 2 percent slopes	252.2	18.7%		
640A	Bluford silt loam, bench, 0 to 2 percent slopes	67.3	5.0%		
802B	Orthents, loamy, undulating	94.2	7.0%		
3108A	Bonnie silt loam, 0 to 2 percent slopes, frequently flooded	309.2	22.9%		
3382A	Belknap silt loam, 0 to 2 percent slopes, frequently flooded	167.5	12.4%		
W	Water	8.8	0.7%		
Totals for Area of Interest		1,348.6	100.0%		




Road to be Improved










Road to be Improved



Floodplain Management (CEST and EA)

Legislation	Regulation
Executive Order 11988	24 CFR 55
	The state of the s

1.	Does <u>24 CFR 55.12(c)</u> exempt this project from compliance with HUD's floodplain management regulations in Part 55? ☐ Yes
	Provide the applicable citation at 24 CFR 55.12(c) here. If project is exempt under
	55.12(c)(7) or (8), provide supporting documentation.
	→ Based on the response, the review is in compliance with this section. Continue to the Worksheet Summary below.
	No → Continue to Question 2.
2.	Provide a FEMA/FIRM or ABFE map showing the site. The Federal Emergency Management Agency (FEMA) designates floodplains. The FEMA Map Service Center provides this information in the form of FEMA Flood Insurance Rate Maps (FIRMs) or Advisory Base Flood Elevations (ABFEs). For projects in areas not mapped by FEMA, use the best available information to determine floodplain information. Include documentation, including a discussion of why this is the best available information for the site.
	Does your project occur in a floodplain? □ No → Based on the response, the review is in compliance with this section. Continue to the Worksheet Summary below.
	⊠ Yes
	Select the applicable floodplain using the FEMA map or the best available information: ☐ Floodway → Continue to Question 3, Floodways

	□ Coastal High Hazard Area (V Zone) → Continue to Question 4, Coastal High Hazard Areas
	☐ 500-year floodplain (B Zone or shaded X Zone) → Continue to Question 5, 500-year Floodplains
	□ 100-year floodplain (A Zone) → The 8-Step Process is required. Continue to Question 6, 8-Step Process
3.	Floodways Is this a functionally dependent use? ☐ Yes The 8-Step Process is required. Work with your HUD FEO to determine a way to satisfactorily continue with this project. Provide a completed 8-Step Process, including the early public notice and the final notice. → Continue to Question 6, 8-Step Process
	□ No Federal assistance may not be used at this location unless a 55.12(c) exception applies. You must either choose an alternate site or cancel the project at this location.
4.	Coastal High Hazard Area Is this a critical action? ☐ Yes Critical actions are prohibited in coastal high hazard areas. Federal assistance may not be used at this location. Unless the action is excepted at 24 CFR 55.12(c), you must either choose an alternate site or cancel the project.
	 □ No Does this action include construction that is not a functionally dependent use, existing construction (including improvements), or reconstruction following destruction caused by a disaster? □ Yes, there is new construction. New construction is prohibited in V Zones ((24 CFR 55.1(c)(3)).
	No, this action concerns only a functionally dependent use, existing construction(including improvements), or reconstruction following destruction caused by a disaster. This construction must have met FEMA elevation and construction standards for a coastal high hazard area or other standards applicable at the time of construction.

→ Continue to Question 6, 8-Step Process

5.	500-year Floodplain Is this a critical action? □ No → Based on the response, the review is in compliance with this section. Continue to the Worksheet Summary below.
	□Yes → Continue to Question 6, 8-Step Process
6.	 8-Step Process. Does the 8-Step Process apply? Select one of the following options: ☑ 8-Step Process applies. Provide a completed 8-Step Process, including the early public notice and the final notice. → Continue to Question 7, Mitigation
	□ 5-Step Process is applicable per 55.12(a)(1-3). Provide documentation of 5-Step Process. Select the applicable citation: □ 55.12(a)(1) HUD actions involving the disposition of HUD-acquired multifamily housing projects or "bulk sales" of HUD-acquired one- to four-family properties in communities that are in the Regular Program of the National Flood Insurance Program (NFIP) and in good standing (i.e., not suspended from program eligibility or placed on probation under 44 CFR 59.24). □ 55.12(a)(2) HUD's actions under the National Housing Act (12 U.S.C. 1701) for the purchase or refinancing of existing multifamily housing projects, hospitals, nursing homes, assisted living facilities, board and care facilities, and intermediate care facilities, in communities that are in good standing under the
	NFIP. □ 55.12(a)(3) HUD's or the recipient's actions under any HUD program involving the repair, rehabilitation, modernization, weatherization, or improvement of existing multifamily housing projects, hospitals, nursing homes, assisted living facilities, board and care facilities, intermediate care facilities, and one- to four-family properties, in communities that are in the Regular Program of the National Flood Insurance Program (NFIP) and are in good standing, provided that the number of units is not increased more than 20 percent, the action does not involve a conversion from nonresidential to residential land use, the action does not meet the thresholds for "substantial improvement" under § 55.2(b)(10), and the footprint of the structure and paved areas is not significantly increased. □ 55.12(a)(4) HUD's (or the recipient's) actions under any HUD program involving
	the repair, rehabilitation, modernization, weatherization, or improvement of existing nonresidential buildings and structures, in communities that are in the

Regular Program of the NFIP and are in good standing, provided that the action does not meet the thresholds for "substantial improvement" under § 55.2(b)(10) and that the footprint of the structure and paved areas is not significantly increased.

→ Continue to Question 7, Mitigation

8-Step Process is inapplicable per 55.12(b)(1-4).
Select the applicable citation: \[\sum 55.12(b)(1)\) HUD's mortgage insurance actions and other financial assistance for the purchasing, mortgaging or refinancing of existing one- to four-family properties in communities that are in the Regular Program of the National Flood Insurance Program (NFIP) and in good standing (i.e., not suspended from program eligibility or placed on probation under 44 CFR 59.24), where the action is not a critical action and the property is not located in a floodway or coastal high hazard area.
☐ 55.12(b)(2) Financial assistance for minor repairs or improvements on one- to four-family properties that do not meet the thresholds for "substantial"
improvement" under § 55.2(b)(10)
55.12(b)(3) HUD actions involving the disposition of individual HUD-acquired, one-
to four-family properties.
☐ 55.12(b)(4) HUD guarantees under the Loan Guarantee Recovery Fund Program
(24 CFR part 573) of loans that refinance existing loans and mortgages, where any new construction or rehabilitation financed by the existing loan or mortgage has been completed prior to the filing of an application under the program, and the refinancing will not allow further construction or rehabilitation, nor result in any physical impacts or changes except for routine maintenance.
☐ 55.12(b)(5) The approval of financial assistance to lease an existing structure
located within the floodplain, but only if—
(i) The structure is located outside the floodway or Coastal High Hazard
Area, and is in a community that is in the Regular Program of the NFIP
and in good standing (i.e., not suspended from program eligibility or
placed on probation under 44 CFR 59.24);
(ii) The project is not a critical action; and
(iii) The entire structure is or will be fully insured or insured to the
maximum under the NFIP for at least the term of the lease.

→ Based on the response, the review is in compliance with this section. Continue to the Worksheet Summary below.

7. Mitigation

For the project to be brought into compliance with this section, all adverse impacts must be mitigated. Explain in detail the exact measures that must be implemented to mitigate for the impact or effect, including the timeline for implementation.

Illinois Department of Natural Resources stated that strict adherence to best management practices for erosion and sediment control should be used to minimize the possibility of any adverse impacts to vicinity wetlands and streams. Development of a stormwater pollution prevention plan for strict control of erosion and sediment is required.	

Which of the following mitigation/minimization measures have been identified for this project in the 8-Step or 5-Step Process? Select all that apply.

aject i	in the 6-step of 3-step Process: Select all that apply.
	Permeable surfaces
	Natural landscape enhancements that maintain or restore natural hydrology
	Planting or restoring native plant species
	Bioswales
	Evapotranspiration
	Stormwater capture and reuse
	Green or vegetative roofs with drainage provisions
	Natural Resources Conservation Service conservation easements or similar
E	easements
	Floodproofing of structures
	Elevating structures including freeboarding above the required base flood
ε	elevations
\boxtimes (Other - Development of a stormwater pollution prevention plan for strict control
of or	rosion and sodiment

→ Based on the response, the review is in compliance with this section. Continue to the Worksheet Summary below.

Worksheet Summary

Compliance Determination

Provide a clear description of your determination and a synopsis of the information that it was based on, such as:

- Map panel numbers and dates
- Names of all consulted parties and relevant consultation dates
- Names of plans or reports and relevant page numbers
- Any additional requirements specific to your region
- IDNR Sign-off dated 10.4.16
- Brandon Simmons, Jefferson County Engineer
- Best Management Practices

Are	formal compliance	steps o	r mitigation	required?
		-	_	-
	□ No			

Jefferson County Illinois - Eight Step Floodplain Review Procedure

<u>Project Description:</u> The proposed project would improve approximately 4,450 LF on General Tire Lane, currently an oil and chip surface, with two 13' lanes with curb and gutter and a stop light at intersection of General Tire Lane and Illinois 142. A left turn lane will also be added to General Tire Lane at this intersection. All components will be built to Illinois Department of Transportation specifications to serve as a truck route into the nearby Continental Tire Plant. Continental Tire will subsequently install additional production equipment in its plant.

Step 1: Determine whether the action is located in a 100-year floodplain (or a 500-year floodplain for critical actions) or wetland.

A large section of General Tire Lane that is proposed to be reconstructed is located in the 100-year floodplain as shown on the FEMA Frim Maps and attached to this document.

Step 2: Notify the public for early review of the proposal and involve the affected and interested public in the decision making process.

The Early Public Review for Construction in a Floodplain notice was made and advertised in the Morning Sentinel on 10/15/2016. The public comment period ended 10/30/16.

Step 3: Identify and evaluate practicable alternatives.

Two alternatives were evaluated Relocation of the project to the west and No Action.

After reviewing an alternative roadway alignment which shifted the roadway to the West, it was determined that it would not decrease the impacts associated with the project.

The other alternative evaluated was to take No Action. Cancelling the project would not meet the demands of the industry and could result in the decision to halt future expansions of the industry from taking place.

Step 4: Identify Potential Direct and Indirect Impacts of Associated with Floodplain Development.

Reconstructing General Tire Lane will have little to no direct or indirect impacts to the floodplain. The Illinois Department of Natural Resources has evaluated the proposed project and has concluded that adverse effects are unlikely, but strict adherence to best management practices for erosion and sedimentation control should be used to minimize the possibility of any adverse impacts to vicinity wetlands and streams.

- Step 5: Where practicable, design or modify the proposed action to minimize the potential adverse impacts to lives, property, and natural values within the floodplain and to restore, and preserve the values of the floodplain.
 - (a) Preserving Lives: The roadway will be designed to be above the flood plain and will not put lives in danger.
 - (b) Preserving Property: no structures will be built in the floodplain as part of this project.
 - (c) Preserving Natural Values and Minimizing Impacts: Jefferson County would ensure that this proposed project conforms to all state and local floodplain and wetlands protection standards and would implement the following mitigation measures to minimize the potential adverse impacts: Develop the Stormwater Pollution Prevention Plan for the project for strict control of erosion and sedimentation.

Step 6: Reevaluate the Alternatives.

The alternate to cancel the project cannot be chosen since it would negatively impact he community by preventing economic growth. The relocation of the roadway to the west does not eliminate the impacts associate with the project.

The original design, while in the floodplain, meets the demands of the industry while utilizing the existing roadway alignment. The impacts to the floodplain are minimal and impacts to the adjacent wetlands can be mitigated by creating and adhering to a Stormwater Pollution Prevention Plan for the project for strict control of erosion and sedimentation.

Step 7: Determination of No Practicable Alternative

It was the determination there is no practical alternative for reconstructing General Tire Lane outside of the floodplain. This is due to the necessity of meeting the industry's needs and the alternative alignment would still involve similar impacts. A final notice was published and posted consistent with the prior notice. The notice was advertised in the Morning Sentinel on 11/08/2016. The public comment period ended 11/15/2016. No concerns were expressed by the public concerning this notice.

Step 8: Implement the Proposed Action

After allowing a reasonable period for public response, the proposed project can be implemented.

INVOICE FOR LEGAL NOTICE **MORNING** Time SENTINEL 1808 Broadway Da Sco Mt. Vemon, Illinois 62864 WAS PUBLISHED ON FOLLOWING DATES: Month **|4||15||16||17||19**||20||21||22||23||24||25||26||27||28||29||30||31 AMOUNT DUE \$ DATE All Publication Fees Payable Return This Portion With Certificate Of Publication With Your Payment from 9:00 a.m. to 5:00 **CERTIFICATE OF PUBLICATION** p.m. at the County Engineer's Office, 750 Old No. Fairfield Road, Mt. Vernon, Illinois. Inter-MT. VERNON, IL, Mac 20 1 WETLAND ested persons may The undersigned does hereby certify that also call Brandon Simhe is the publisher, or the authorized agent mons at 618-244-8031 of the publisher, of the MORNING SEN-

EARLY NOTICE OF PROPOSED PROJECT TO BE LOCATED IN A FLOODPLAIN AND

Publication Date: 10/15/2016

TO ALL INTER-ESTED AGENCIES, GROUPS, AND PER-SONS:

As required by Executive Order(s) 11988 and 11990, this is an early public notice to promote public understanding and provide opportunities for public involvement.

Jefferson County proposes to use funds allocated through the Community Development Block Grant (CDBG) Program for the following pro-posed project: Jefferson County Industrial Expansion The proposed project would improve approximately 4,450 LF on General Tire Lane, currently an oil and chip surface, with two lanes with curb and gutter and a stop light at General Tire Lane and Illinois Highway 142, a left turn lane will also be added to General Tire Lane at this intersec-

for additional information about this proposed project. Jefferson County is now evaluating potential alternatives, the potential impact of the proposed project, and potential mitigation to minimize flood hazard and wetlands impact.

Written comments on this proposed project are invited and must be received by Brandon Simmons at the County Engineer's Office, 750 Old Fairfield Road, Mt. Vernon, Illinois 10/30/2016. All such comments will be taken into consideration by Jefferson County prior to its decision on the proposed project.

ROBERT WHITE. **JEFFERSON** COUNTY **BOARD CHAIRMAN**

TINEL; that said newspaper is a daily secular newspaper of general circulation which has been published in the City of Mt. Vernon, in Jefferson County, State of Illinois, continuously for a period of more than one year prior to the first date of the publication attached hereto. He further certifies that said newspaper is "a newspaper" as defined in "an Act to revise the law in relation to notices" as amended by Act approved July 17, 1959 — Ill. Revised Statutes, Chap. 100, Paragraphs 1 and 5. He further certifies that the attached notice was published in said newspaper.

DATES OF PUBLICATION

sublished as the day of
published on the day of
OCT. 15 20/6.
and the last publication being in the paper
published on the day of
Oct 15, 20/6.
A total of days.
Publication Fee \$ 54.28
WinKThela_
(Authorized Agent of Publisher)

Advance Payment Received By:

Date_

TO BE LOCATED IN A FLOODPLAIN AND WETLAND

SONS:

As required by Executive Order(s) 11988 promote public understanding and provide minimize flood hazard opportunities for pub- and wetlands impact.

proposes to use funds ject are invited and allocated through the must be received by Community Develop- Brandon Simmons at ment Block Grant the County Engineer's (CDBG) Program for Office, 750 Old Fairthe following pro- field Road, Mt. Ver-posed project: Jeffer- non, Illinois by son County Industrial 10/30/2016. All such Expansion. The proposed project would taken into considera improve approxition by Jefferson mately 4,450 LF on County prior to its de General Tire Lane, cision on the proposed currently an oil and project. chip surface, with two ROBERT WHITE, 13' lanes with curb JEFFERSON and gutter and a stop COUNTY light at General Tire BOARD CHAIRMAN Lane and Illinois Highway 142, a left turn lane will also be added to General Tire Lane at this intersection. All components will be built to I.D.O.T specification to serve as a truck route.

Jefferson County has determined that this proposed project would occur in a 100year floodplain and in close proximity to existing wetlands. The Illinois Department of Natural Resources stated that, strict ad-herence to best management practices for erosion and sedimentation control should be used to minimize the possibility of any adverse impacts to vicinity wetlands and streams. Due to the project's location in a floodplain and near Jefferson wetlands, County must therefore complete an eight step review. This public notice is step 2.

County Jefferson has additional information on this proposed project that can be reviewed weekdays

PROPOSED PROJECT P.m. at the county Plan gineer's Office, 750 Old Fairfield Road, Mt. Vernon, Illinois. Interested persons may Publication Date: also call Brandon Simmons at 618-244-8031 TO ALL INTERESTED AGENCIES, mation about this proGROUPS, AND PERposed project. Jefferposed project. Jefferson County is now evaluating potential alternatives, the poand 11990, this is an tential impact of the early public notice to proposed project, and potential mitigation to

lic involvement. Written comments

Jefferson County on this proposed pro-

EARLY NOTICE OF PROPOSED PROJECT TO BE LOCATED IN A FLOODPLAIN AND WETLAND

10/15/2016

ESTED AGENCIES, mation about this pro-GROUPS, AND PER- posed project. Jeffer-SONS:

As required by Executive Order(s) 11988 and 11990, this is an tential impact of the early public notice to promote public underpromote public under-standing and provide minimize flood hazard opportunities for pub-and wetlands impact. lic involvement.

proposes to use funds ject are invited and allocated through the must be received by Community Develop- Brandon Simmons at ment Block Grant the County Engineer's (CDBG) Program for Office, 750 Old Fairthe following pro- field Road, Mt. Verposed project: Jeffer- non, Illinois son County Industrial 10/30/2016. All Expansion. The pro- comments will be posed project would improve approxition by Jefferson mately 4,450 LF on County prior to its de-General Tire Lane, cision on the proposed currently an oil and chip surface, with two ROBERT WHITE, 13' lanes with curb and gutter and a stop light at General Tire Lane and Illinois Highway 142, a left turn lane will also be added to General Tire Lane at this intersection. All components will be built to I.D.O.T specification to serve as a truck route.

Jefferson County has determined that this proposed project would occur in a 100year floodplain and in close proximity to existing wetlands. The Illinois Department of Natural Resources stated that, strict adherence to best management practices for erosion and sedimentation control should be used to minimize the possibility of any adverse impacts to vicinity wetlands and streams. Due to the project's location in a floodplain and near wetlands, Jefferson County must therefore complete an eight step review. This public notice is step 2.

Jefferson County has additional information on this proposed project that can be reviewed weekdays

from 9:00 a.m. to 5:00 p.m. at the County Engineer's Office, 750 Old Fairfield Road, Mt. Vernon, Illinois. Interested persons may Publication Date: also call Brandon Simmons at 618-244-8031 TO ALL INTER- for additional inforposed project. Jefferson County is now evaluating potential alternatives, the poproposed project, and potential mitigation to

Written comments Jefferson County on this proposed prosuch taken into consideraproject.

JEFFERSON COUNTY **BOARD CHAIRMAN**

EARLY NOTICE OF PROPOSED PROJECT TO BE LOCATED IN A FLOODPLAIN AND WETLAND

Publication Date: 10/15/2016

TO ALL INTERESTED AGENCIES, GROUPS, AND PERSONS:

As required by Executive Order(s) 11988 and 11990, this is an early public notice to promote public understanding and provide opportunities for public involvement.

Jefferson County proposes to use funds allocated through the Community Development Block Grant (CDBG) Program for the following proposed project:

Jefferson County Industrial Expansion. The proposed project would improve approximately 4,450 LF on General Tire Lane, currently an oil and chip surface, with two 13' lanes with curb and gutter and a stop light at General Tire Lane and Illinois Highway 142, a left turn lane will also be added to General Tire Lane at this intersection. All components will be built to I.D.O.T specification to serve as a truck route.

Jefferson County has determined that this proposed project would occur in a 100-year floodplain and in close proximity to existing wetlands. The Illinois Department of Natural Resources stated that, strict adherence to best management practices for erosion and sedimentation control should be used to minimize the possibility of any adverse impacts to vicinity wetlands and streams. Due to the project's location in a floodplain and near wetlands, Jefferson County must therefore complete an eight step review. This public notice is step 2.

Jefferson County has additional information on this proposed project that can be reviewed weekdays from 9:00 a.m. to 5:00 p.m. at the County Engineer's Office, 750 Old Fairfield Road, Mt. Vernon, Illinois. Interested persons may also call Brandon Simmons at 618-244-8031 for additional information about this proposed project. Jefferson County is now evaluating potential alternatives, the potential impact of the proposed project, and potential mitigation to minimize flood hazard and wetlands impact.

Written comments on this proposed project are invited and must be received by Brandon Simmons at the County Engineer's Office, 750 Old Fairfield Road, Mt. Vernon, Illinois by 10/30/2016. All such comments will be taken into consideration by **Jefferson County** prior to its decision on the proposed project.

Robert White, Jefferson County Board Chairman

FINAL NOTICE OF DECISION REGARDING PROJECT TO BE LOCATED IN A FLOODPLAIN AND WETLAND Publication Date:

11/8/2016

TO ALL INTER-ESTED AGENCIES, GROUPS, AND PER-SONS-

As required by Executive Order(s) 11988 and 11990, this is a notice of findings and public explanation for proposed activity in a 100-year floodplain and wetlands.

Jefferson County proposes to use funds allocated through the Community Development Block Grant (CDBG) Program for the following proposed project. Jefferson County Industrial Expansion. The proposed project would improve approxi-mately 4,450 LF on improve General Tire Lane, currently an oil and chip surface, with two 13' lanes with curb and gutter and a stop light at General Tire Lane and Illinois Highway 142, a left turn lane will also be added to General Tire Lane at this intersection. All components will be built to I.D.O.T specification to serve as a truck route.

Jefferson County hereby states that this proposed project would occur within an identified 100-year floodplain and wet-lands. However, Jefferson County has reached a decision that this is the only practicable alternative for this proposed project

This decision is based on an evaluation of the following alternatives: Relocation of the project to the west, which would not decrease the amount of local wetlands to mitigate. The other alternative is to cancel the project, which would not meet the demands of the industry. Jefferson County would, however, ensure that this proposed project conforms to all state and local floodplain and wetlands protection standards and would implement the follow ing mitigation measures to minimize the potential adverse impacts: Develop the Stormwater Pollution Prevention Plan for the project for strict control of erosion and sedimentation.

Jefferson County has additional information on this proposed project that can be reviewed weekdays from 9:00 a.m. to 5:00 p.m. at the County Engineer's Office, 750 Old Fairfield Road, Mt. Vernon, Illinois, Interested persons may also call Brandon Simmons at 618-244-8031 for additional information about this proposed project.

Written comments on this proposed project are invited and must be received by Brandon Simmons at the County Engineer's Office, 750 Old Fairfield Road, Mt. Ver-Illinois by non. 11/15/2016. All such comments will be taken into considera-Jefferson tion by County prior to its decision on the proposed project.

JEFF WILLIAMS, **JEFFERSON COUNTY BOARD CHAIRMAN**

* Depricate*

INVOICE FOR LE	EGAL NOTICE
Jefferson Co Eng	210005 No.
For Notice	MORNING Time SENTINEL 1808 Broadway
In Matter of Todstrial Exp	Mt. Vernon, Illinois 62864
THIS LEGAL ADVERTISEMENT WAS P	UBLISHED ON FOLLOWING DATES:
WIII	
DATE 100. 8 2010	AMOUNT DUE \$ 59.80
All Publication Fees Payable With Certificate Of Publication	Return This Portion With Your Payment
	CERTIFICATE OF PUBLICATION
	No
	MT. VERNON, IL. 20 10 The undersigned does hereby certify that he is the publisher, or the authorized agent of the publisher, of the MORNING SENTINEL; that said newspaper is a daily secular newspaper of general circulation which has been published in the City of Mt. Vernon, in Jefferson County, State of illinois, continuously for a period of more than one year prior to the first date of the publication attached hereto. He further certifies that said newspaper is "a newspaper" as defined in "an Act to revise the law in relation to notices" as amended by Act approved July 17, 1959 — Ill. Revised Statutes, Chap. 100, Paragraphs 1 and 5. He further certifies that the attached notice was published in said newspaper. DATES OF PUBLICATION The first publication being in the paper published on the day of Actual of

FINAL NOTICE OF DECISION REGARDING PROJECT TO BE LOCATED IN A FLOODPLAIN AND WETLAND

Publication Date: 11/8/2016

TO ALL INTERESTED AGENCIES, GROUPS, AND PERSONS:

As required by Executive Order(s) 11988 and 11990, this is a notice of findings and public explanation for proposed activity in a 100-year floodplain and wetlands.

Jefferson County proposes to use funds allocated through the Community Development Block Grant (CDBG) Program for the following proposed project:

Jefferson County Industrial Expansion. The proposed project would improve approximately 4,450 LF on General Tire Lane, currently an oil and chip surface, with two 13' lanes with curb and gutter and a stop light at General Tire Lane and Illinois Highway 142, a left turn lane will also be added to General Tire Lane at this intersection. All components will be built to I.D.O.T specification to serve as a truck route.

Jefferson County hereby states that this proposed project would occur within an identified 100-year floodplain and wetlands. However, **Jefferson County** has reached a decision that this is the only practicable alternative for this proposed project.

This decision is based on an evaluation of the following alternatives: Relocation of the project to the west, which would not decrease the amount of local wetlands to mitigate. The other alternative is to cancel the project, which would not meet the demands of the industry. **Jefferson County** would, however, ensure that this proposed project conforms to all state and local floodplain and wetlands protection standards and would implement the following mitigation measures to minimize the potential adverse impacts: Develop the Stormwater Pollution Prevention Plan for the project for strict control of erosion and sedimentation.

Jefferson County has additional information on this proposed project that can be reviewed weekdays from 9:00 a.m. to 5:00 p.m. at the County Engineer's Office, 750 Old Fairfield Road, Mt. Vernon, Illinois. Interested persons may also call Brandon Simmons at 618-244-8031 for additional information about this proposed project.

Written comments on this proposed project are invited and must be received by Brandon Simmons at the County Engineer's Office, 750 Old Fairfield Road, Mt. Vernon, Illinois by 11/15/2016. All such comments will be taken into consideration by Jefferson County prior to its decision on the proposed project.

Jeff Williams, Jefferson County Board Chairman



1 Old State Capitol Plaza, Springfield, IL 62701-1512

FAX 217/524-7525 www.illinoishistory.gov

Jefferson County

PLEASE REFER TO

THPA LOG #005090616

Mt. Vernon

General Tire Lane, south of IL Highway 142

Section:9-Township:35-Range:3E, Section:4-Township:35-Range:3E

CDBG

Roadway widening/improvements to serve parking & building expansion

September 21, 2016

Cary Minnis Greater Egypt Regional Planning & Development Comm 3000 W. DeYoung St., Suite 800B-3 Marion, 1L 62959

Dear Mr. Minnis:

We have reviewed the documentation submitted for the referenced project(s) in accordance with 36 CFR Part 800.4. Based upon the information provided, no historic properties are affected. We, therefore, have no objection to the undertaking proceeding as planned.

Please retain this letter in your files as evidence of compliance with section 106 of the National Elistoric Preservation Act of 1966, as amended. This clearance remains in effect for two (2) years from date of issuance. It does not pertain to any discovery during construction, nor is it a clearance for purposes of the Illinois Human Skeletal Remains Protection Act (20 ILCS 3440).

If you are an applicant, please submit a copy of this letter to the state or federal agency from which you obtain any permit, license, grant, or other assistance.

Sincerely,

Rachel Leibowitz, Ph.D. Deputy State Historic

Preservation Officer

RECEIVED

SEP 23 2015

Greater Egypt Regional Planning and Development Commission

When To Consult With Tribes Under Section 106

Section 106 requires consultation with federally-recognized Indian tribes when a project may affect a historic property of religious and cultural significance to the tribe. Historic properties of religious and cultural significance include: archeological sites, burial grounds, sacred landscapes or features, ceremonial areas, traditional cultural places, traditional cultural landscapes, plant and animal communities, and buildings and structures with significant tribal association. The types of activities that may affect historic properties of religious and cultural significance include: ground disturbance (digging), new construction in undeveloped natural areas, introduction of incongruent visual, audible, or atmospheric changes, work on a building with significant tribal association, and transfer, lease or sale of properties of the types listed above.

If a project includes any of the types of activities below, invite tribes to consult: x significant ground disturbance (digging) Examples: new sewer lines, utility lines (above and below ground), foundations, footings, grading, access new construction in undeveloped natural areas Examples: industrial-scale energy facilities, transmission lines, pipelines, or new recreational facilities, in undeveloped natural areas like mountaintops, canyons, islands, forests, native grasslands, etc., and housing. commercial, and industrial facilities in such areas incongruent visual changes Examples: construction of a focal point that is out of character with the surrounding natural area, impairment of the vista or viewshed from an observation point in the natural landscape, or impairment of the recognized historic scenic qualities of an area incongruent audible changes Examples: increase in noise levels above an acceptable standard in areas known for their quiet, contemplative experience incongruent atmospheric changes Examples: introduction of lights that create skyglow in an area with a dark night sky work on a building with significant tribal association Examples: rehabilitation, demolition or removal of a surviving ancient tribal structure or village, or a building or structure that there is reason to believe was the location of a significant tribal event, home of an important person, or that served as a tribal school or community hall transfer, lease or sale of a historic property of religious and cultural significance Example: transfer, lease or sale of properties that contain archeological sites, burial grounds, sacred landscapes or features, ceremonial areas, plant and animal communities, or buildings and structures with significant tribal association None of the above apply

Jefferson County Industrial Expansion BEAU HENSON 9.17.14
Project Reviewed By Date

TDAT Version 2.2 Page 1 of 1

, 2017



HOME PRESS ROOM MULTIMEDIA STATE INFO PROGRAM OFFICES TOPIC AREAS ABOUT HUD RESOURCES CONTACT US

HUD > Program Offices > Community Planning and Development

Community Planning and Development

Tribal Directory Assessment Information



Contact Information for Tribes with Interests in Jefferson County, Illinois



	Tribal Name	Tribal Name						County Name		
E	Peoria Tribe of Indians	of Oklahoma						Jefferson		
his tribe's con	tact information:							***************************************		
Contact Nan	ne Title Mailing Address		Work Phone	Fax Number	Cell Phon	e Email	Address		URL	
John Froman	Chief PO Box 1527 Miam	, OK 74355	(918) 540-2535	(918) 540-25	38	Jfrom a	an@peoria	stribe.com	http://www.peoriatribe.com	
	Miami Tribe of Oklahon	na						Jefferson		
his tribe's con	tact information:									
Contact Nan	ne Title Mailing Address		Work Phone	Fax Number	Cell Phane	Email Ac	dress		URL	
Douglas Lankford Chief PO Box 1326 Miami, OK 74355			(918) 542-1445	(918) 542-726	0	dlankfor	domiami	nation.com	http://www.mlamination.com	
Diane Hunter	THPO PO Box 1326 Miai	mi, OK 74355	(918) 542-1445	(918) 542-726	0	dhunter	O mlamin	ation.com	http://www.miamination.com	
=	Menominee Indian Trib	e of Wisconsi	In					Jefferson		
his tribe's con	stact information:									
Contact Name	Title	Mailing Add	ress	Work Phone	Fax Number	Cell Phone	Email A	ddress	URL	
Gary Besaw	Chairman	PO Box 910 F 54135	(eshena, WI		(715) 799- 3373	gbesa		@mitw.org	http://www.menominee- nsn.gov/	
David Grignon	Tribal Historic Preservation PO Box 910 K Officer 54135-0910		(eshena, WI	(715) 799+ 5258	(715) 799- 5295	dgrignon		n@mitw.org	http://www.menominee- nsn.gov/	

Print Current Page | Export to Excel

Return to the Hain Tribal page, Return to the Query Request page for Illinois.







HOME PRESS ROOM MULTIMEDIA STATE INFO PROGRAM OFFICES TOPIC AREAS ABOUT HUD RESOURCES CONTACT US

HUD : Program Offices : Comm joilty Planning and Development

Community Planning and Development

Tribal Directory Assessment Information



Contact Information for Tribes with Interests in Jefferson County, Illinois



Tribal Name	Contact Name	Title	Malling Address	Work Phone	Fax Number	Cell Phone	Email Address	тнро
Peorra Tribe of Indians of Oklahoma	John Froman		PO Box 1527 Miami, OK 74355	(918) 540- 2535	(918) 540- 2538		ifroman@peoriatribe.com	N
Mam-Tribe of Oklahoma	Doug as Lankford	Chief	PO Box 1325 Miami OK 74355	(918) 542- 1445	(918) 542- 7260		dlankford@mlamination.com	N
Mam. Tribe of Ok ahoma	George Strack	THPO	PO Box 1326 M ami, OK 74355	(918) 542- 1445	(918) 542- 7260		gstrack@miamination.com	Y
Menominee Indian Tribe of Wisconsin	Gary Besaw	Chairman	PO Box 910 Keshena, Wi 54135	(715) 799- 5114	(715) 799- 3373		gbesaw@mitw.org	N
Menominee Indian Triba of Wisconsin	David Grignon	Tilbal Historic Preservation Officer	PO Box 910 Keshena, WI 54135-0910	(715) 799- 5258	(715) 799 5295		dgrignon@mitw.org	11

Export to Excel

Return to the Tribal Main page

Download Adobe Acrobat Reader to view PDF files located on this site

RECOVERY GOV Busque Información en Español | Accessibility | Contact Info | Privacy Policy | FOIA | Web Policies and Important Links Inspector General | No Fear Act | PaymentAccuracy.gov









U.S. Department of Housing and Urban Development 451 7th Street S.W., Washington, DC 20410 Telephone (202) 708-1112 TTY (202) 708-1455 Find the address of the HUD office near you

JEFFERSON COUNTY BOARD 100 South 10th Street Mt. Vernon, Illinois 62864

618.244,8000 Phone

618.244.8111 Fax



Mrs. Suzy Tate, Executive Assistant

Mr. Robert White Chairman District #9

Mr. Jeff Williams Vice Chalrman District #6 Chief John Froman PO Box 1527 Miami, OK 74355

Board Members

Mr. Tommy Hayes Chairman Public Safety District #3

Mr. Robert Watt Chairman Fiscal District #10

Mr. Steve Draege Chairman Highway District #1

Mr. Randy Edwards Chairman Land, Tax and Appt District #5

Mr. James Malone Chairman Services District #13

Mr. Cliff Lindemann Chairman Technology District #8

Mr. Sean Wilkey District #2

Mr. Tim Marlow District #4

Mr. Justin Fulkerson District #7

Ms. Joyce Damron District #11

Mr. Wayne Hicks District #12

Dear Chief Froman:

In accordance with Section 106 of the National Historic Preservation Act of 1966, as amended (16 U.S.C. 470f), and its implementing regulation, 36 CFR 800, "Protection of Historic Properties," and as authorized by the U.S. Department of Housing and Urban Development (HUD) as an applicant for a Community Development Block Grant-Public Infrastructure under Title I of the Housing and Community Development Act of 1974, as amended (42US/C/5301 et seq.), we are initiating consultation with your office regarding the proposed known as General Tire Lane Roadway Widening/Improvements to Serve Expansion, located in the County of Jefferson, IL. Please find enclosed the necessary documentation per §800.11.

Based on our initial research, we have made the required determinations and findings, which we now ask you to review. Please respond in writing to us and HUD within the thirty-day time period as noted at §800.3(c) 4. The Responsible Entity's mailing address is:

Greater Egypt Regional Planning and Development Commission ATTN: Beau Henson, Economic Development Specialist 3000 West DeYoung Street, Suite 800 B3 Marion, IL 62959

If you concur with the findings in this submission, please sign and date on the line below and return as noted above. If you do not concur, we request that you express your concerns and objections clearly in writing so that HUD may continue the consultation process as needed.

Please also indicate in your non-concurrence letter if there are other sources of information that should be checked, and if there are other parties, tribes, or members of the public you believe should be included in the consultation process. Thank you for your prompt attention to this matter.

Sincerely,	
ahnthile	
Robert White	
Chairman, Jefferson County	
CONCURRENCE:	
CONCORRENCE.	Tribal Historic Preservation Officer
	Date

Description of the Undertaking

This development will include the purchase of land and existing building and making improvements on the existing facility. The majority of the investment will be purchasing and installing new equipment. The added truck volume to the plant will also require improvements to public infrastructure.

The roadway improvements will provide direct truck access to the site of the development while providing the company the ability to provide employees with a separate employee entrance separating passenger cars from trucks once on the industrial property resulting in increased safety and efficiency.

The current roadway is not sufficent to be used as a truck route. The road cannot support the weight of the heavy trucks that will be entering and leaving the facility and due to the increases in both truck and passenger car traffic a new traffic signal and turn lane will be required to better support the flow of traffic. The following improvemnts have been proposed to meet the needs of the company; improve approximately 4,450 LF on General Tire Lane, currently an oil and chip surface, with two 13' lanes with curb and gutter and a stop light at General Tire Lane and Illinois Highway 142, a left turn lane will also be added to General Tire Lane at this intersection. All components will be built to I.D.O.T specification to serve as a truck route.

Please see attached map location and IHPO concurrence.

Beau Henson

From:

Beau Henson

Sent:

Tuesday, September 27, 2016 1:10 PM

To:

'jfroman@peoriatribe.com'

Subject:

Tribal Consult for Project in Jefferson County, IL

Attachments:

JeffCo_Tribal_vPEORIA.PDF; Pics.pdf

Good Evening Chief Froman.

Please find attached the request letter for tribal concurrence on a construction project located in Jefferson County, IL. Please contact me directly with any questions or concerns.

Very Best,

Beau A. Henson Economic Development Specialist

Greater Egypt Regional Planning and Development Commission www.greateregypt.org 3000 W. DeYoung Street, Suite 800B-3 Marion, IL 62959

Phone: 618.997.9351 Fax: 618.997.9354

Email: beauhenson@greateregypt.org

LAT JET

JEFFERSON COUNTY BOARD

100 South 10th Street Mt. Vernon, Illinois 62864

618.244.8000 Phone 618.244.8111 Fax

Mrs. Suzy Tate, Executive Assistant

Mr. Robert White Chairman District #9

Mr. Jeff Williams Vice Chairman District #6 Chief Douglas Lankford PO Box 1326 Miami, OK 74355

Board Members

Mr. Tommy Hayes Chairman Public Safety District #3

Mr. Robert Watt Chairman Fiscal District #10

Mr. Steve Draege Chairman Highway District #1

Mr. Randy Edwards Chairman Land, Tax and Appt District #5

Mr. James Malone Chairman Services District #13

Mr. Cliff Lindemann Chairman Technology District #8

Mr. Sean Wilkey District #2

Mr. Tim Marlow District #4

Mr. Justin Fulkerson District #7

Ms. Joyce Damron District #11

Mr. Wayne Hicks District #12 Dear Chief Lankford and THPO George Strack:

In accordance with Section 106 of the National Historic Preservation Act of 1966, as amended (16 U.S.C. 470f), and its implementing regulation, 36 CFR 800, "Protection of Historic Properties," and as authorized by the U.S. Department of Housing and Urban Development (HUD) as an applicant for a Community Development Block Grant-Public Infrastructure under Title I of the Housing and Community Development Act of 1974, as amended (42US/C/5301 et seq.), we are initiating consultation with your office regarding the proposed known as General Tire Lane Roadway widening/Improvements to Serve Expansion, located in the County of Jefferson, IL. Please find enclosed the necessary documentation per §800.11.

Based on our initial research, we have made the required determinations and findings, which we now ask you to review. Please respond in writing to us and HUD within the thirty-day time period as noted at §800.3(c) 4. The Responsible Entity's mailing address is:

Greater Egypt Regional Planning and Development Commission ATTN: Beau Henson, Economic Development Specialist 3000 West DeYoung Street, Suite 800 B3 Marion, IL 62959

If you concur with the findings in this submission, please sign and date on the line below and return as noted above. If you do not concur, we request that you express your concerns and objections clearly in writing so that HUD may continue the consultation process as needed.

Please also indicate in your non-concurrence letter if there are other sources of information that should be checked, and if there are other parties, tribes, or members of the public you believe should be included in the consultation process. Thank you for your prompt attention to this matter.

$\overline{}$		
	incerel	w
_	HICCICI	37

Robert White

Chairman, Jefferson County

CONCURRENCE:	
	Tribal Historic Preservation Officer
	Date

Description of the Undertaking

This development will include the purchase of land and existing building and making improvements on the existing facility. The majority of the investment will be purchasing and installing new equipment. The added truck volume to the plant will also require improvements to public infrastructure.

The roadway improvements will provide direct truck access to the site of the development while providing the company the ability to provide employees with a separate employee entrance separating passenger cars from trucks once on the industrial property resulting in increased safety and efficiency.

The current roadway is not sufficent to be used as a truck route. The road cannot support the weight of the heavy trucks that will be entering and leaving the facility and due to the increases in both truck and passenger car traffic a new traffic signal and turn lane will be required to better support the flow of traffic. The following improvemnts have been proposed to meet the needs of the company; improve approximately 4,450 LF on General Tire Lane, currently an oil and chip surface, with two 13' lanes with curb and gutter and a stop light at General Tire Lane and Illinois Highway 142, a left turn lane will also be added to General Tire Lane at this intersection. All components will be built to I.D.O.T specification to serve as a truck route.

Please see attached map location and IHPO concurrence.

Beau Henson

From:

Beau Henson

Sent:

Tuesday, September 27, 2016 1:12 PM

To:

'dlankford@miamination.com'

Cc:

'gstrack@miamitribe.com'

Subject:

Tribal Consult for Project in Jefferson County, IL

Attachments:

JeffCo_Tribal_vMIAMI.PDF; Pics.pdf

Good Evening Chief Lankford and THPO Strack.

Please find attached the request letter for tribal concurrence on a construction project located in Jefferson County, IL. Please contact me directly with any questions or concerns.

Very Best,

Beau A. Henson Economic Development Specialist

Greater Egypt Regional Planning and Development Commission www.greateregypt.org 3000 W. DeYoung Street, Suite 800B-3 Marion, IL 62959

Phone: 618.997.9351 Fax: 618.997.9354

Email: beauhenson@greateregypt.org

STERSON COUPLING

JEFFERSON COUNTY BOARD

100 South 10th Street Mt. Vernon, Illinois 62864

618.244.8000 Phone 618.244.8111 Fax

Mrs. Suzy Tate, Executive Assistant

Mr. Robert White Chairman District #9

Mr. Jeff Williams Vice Chairman District #6 Chairman Gary Besaw PO Box 910 Keshena, WI 54135

Board Members

Mr. Tommy Hayes Chairman Public Safety District #3

Mr. Robert Watt Chairman Fiscal District #10

Mr. Steve Draege Chairman Highway District #1

Mr. Randy Edwards Chairman Land, Tax and Appt District #S

Mr. James Malone Chairman Services District #13

Mr. Cliff Lindemann Chairman Technology District #8

Mr. Sean Wilkey District #2

Mr. Tim Marlow District #4

Mr. Justin Fulkerson District #7

Ms. Joyce Damron District #11

Mr. Wayne Hicks District #12 Dear Chairman Besaw and THPO David Grignon:

In accordance with Section 106 of the National Historic Preservation Act of 1966, as amended (16 U.S.C. 470f), and its implementing regulation. 36 CFR 800, "Protection of Historic Properties," and as authorized by the U.S. Department of Housing and Urban Development (HUD) as an applicant for a Community Development Block Grant-Public Infrastructure under Title I of the Housing and Community Development Act of 1974, as amended (42US/C/5301 et seq.), we are initiating consultation with your office regarding the proposed known as General Tire Lane Roadway Widening/Improvements to Serve Expansion, located in the County of Jefferson, IL. Please find enclosed the necessary documentation per §800.11.

Based on our initial research, we have made the required determinations and findings, which we now ask you to review. Please respond in writing to us and HUD within the thirty-day time period as noted at §800.3(c) 4. The Responsible Entity's mailing address is:

Greater Egypt Regional Planning and Development Commission ATTN: Beau Henson, Economic Development Specialist 3000 West DeYoung Street, Suite 800 B3 Marion, IL 62959

If you concur with the findings in this submission, please sign and date on the line below and return as noted above. If you do not concur, we request that you express your concerns and objections clearly in writing so that HUD may continue the consultation process as needed. Please also indicate in your non-concurrence letter if there are other sources of information that should be checked, and if there are other parties, tribes, or members of the public you believe should be included in the consultation process. Thank you for your prompt attention to this matter.

Sincerely,	
Robert White Chairman, Jefferson County	
,	
CONCURRENCE:	
	Tribal Historic Preservation Officer
	Date

Description of the Undertaking

This development will include the purchase of land and existing building and making improvements on the existing facility. The majority of the investment will be purchasing and installing new equipment. The added truck volume to the plant will also require improvements to public infrastructure.

The roadway improvements will provide direct truck access to the site of the development while providing the company the ability to provide employees with a separate employee entrance separating passenger cars from trucks once on the industrial property resulting in increased safety and efficiency.

The current roadway is not sufficent to be used as a truck route. The road cannot support the weight of the heavy trucks that will be entering and leaving the facility and due to the increases in both truck and passenger car traffic a new traffic signal and turn lane will be required to better support the flow of traffic. The following improvements have been proposed to meet the needs of the company; improve approximately 4,450 LF on General Tire Lane, currently an oil and chip surface, with two 13' lanes with curb and gutter and a stop light at General Tire Lane and Illinois Highway 142, a left turn lane will also be added to General Tire Lane at this intersection. All components will be built to I.D.O.T specification to serve as a truck route.

Please see attached map location and IHPO concurrence.

Beau Henson

From:

Beau Henson

Sent:

Tuesday, September 27, 2016 1:13 PM

To:

'gbesaw@mitw.org'

Cc:

'dgrignon@mitw.org'

Subject:

Tribal Consult for Project in Jefferson County, IL

Attachments:

JeffCo_Tribal_vMENOMINEE.PDF; Pics.pdf

Good Evening Chief Besaw and THPO Grignon.

Please find attached the request letter for tribal concurrence on a construction project located in Jefferson County, IL. Please contact me directly with any questions or concerns.


Very Best,

Beau A. Henson
Economic Development Specialist

Greater Egypt Regional Planning and Development Commission www.greateregypt.org 3000 W. DeYoung Street, Suite 800B-3 Marion, IL 62959

Phone: 618.997.9351 Fax: 618.997.9354

Email: beauhenson@greateregypt.org



General Tire Lane, Mt. Vernon, IL



March 2, 2017

Estuarine and Marine Deepwater

Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Freshwater Pond

Lake


Other

Riverine

This map is for general reference only. The US Fish and Waldide Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



HOME NATIONAL SYSTEM MANAGEMENT RESOURCES PUBLICATIONS CONTACT US KID'S SITE



NATIONWIDE RIVERS INVENTORY | ICD'S SITE | CONTACT US | PRIVACY NOTICE | Q & A SEARCH ENGINE | SITE MAP

Designated Rivers	National System	River Management	Resources
About WSR Act State Listings	WSR Table Sludy Rivers	Council Agencies	Q & A Search Bibliography
Profile Pages	Slawardship WSR Act Legislation	Management Plans GIS Mapping	Publications GIS Mapping Logo & Sign Standards Display




EJSCREEN Report (Version 2016)



1 mile Ring Centered at 38.284777,-88.886105, ILLINOIS, EPA Region 5

Approximate Population: 112 input Area (sq. miles): 3.14

Selected Variables	State Percentile	EPA Region Percentile	USA Percentile	
EJ Indexes				
EJ Index for PM2.5	66	78	64	
EJ Index for Ozone	67	78	65	
EJ Index for NATA* Diesel PM	65	77	64	
EJ Index for NATA® Air Toxics Cancer Risk	67	78	63	
EJ Index for NATA® Respiratory Hazard Index	66	77	63	
El Index for Traffic Proximity and Volume	75	82	71	
El Index for Lead Paint Indicator	69	79	73	
EJ Index for Superfund Proximity	66	77	67	
EJ Index for RMP Proximity	64	75	62	
EJ Index for Hazardous Waste Proximity*	N/A	N/A	N/A	
EJ Index for Water Discharger Proximity	72	82	73	



This report shows the values for environmental and demographic Indicators and EISCREEN indexes. It shows environmental and demographic raw data (e.g., the estimated concentration of ozone in the air), and also shows what percentile each raw data value represents. These percentiles provide perspective on how the selected block group or buffer area compares to the entire state, EPA region, or nation. For example, if a given location is at the 95th percentile nationwide, this means that only 5 percent of the US population has a higher block group value than the average person in the location being analyzed. The years for which the data are available, and the methods used, vary across these indicators. Important caveats and uncertainties apply to this screening-level information, so it is essential to understand the limitations on appropriate interpretations and applications of these indicators. Please see EJSCREEN documentation for discussion of these issues before using reports.

November 18, 20°




EJSCREEN Report (Version 2016)



1 mile Ring Centered at 38.284777,-88.886105, ILLINOIS, EPA Region 5

Approximate Population: 112 input Area (sq. miles): 3.14



Sites reporting to EPA	
Superfund NPL	0
Hazardous Waste Treatment, Storage, and Disposal Facilities (TSDF)	0
National Pollutant Discharge Elimination System (NPDES)	0



EJSCREEN Report (Version 2016)



1 mile Ring Centered at 38,284777,-88.886105, ILLINOIS, EPA Region 5

Approximate Population: 112 input Area (sq. miles): 3.14

Selected Variables	Value	State Avg.	%ile in State	EPA Region Avg.	%ile in EPA Region	USA Avg.	%ile in USA
Environmental Indicators		111 23	W. S. Glow Wa			71	7.00
Particulate Matter (PM 2.5 in µg/m³)	10,1	11.2	6	10.6	26	9.32	66
Ozone (ppb)	56.1	50.8	92	50.3	98	47.4	90
NATA" Diesel PM (µg/m³)	0,665	1.28	22	0.931	<50th	0.937	<50th
NATA* Cancer Risk (lifetime risk per million)	36	36	62	34	60-70th	40	<50th
NATA* Respiratory Hazard Index	1,5	1.8	41	1.7	50-60th	1.8	<50th
Traffic Proximity and Volume (daily traffic count/distance to road)	180	500	59	370	65	590	61
Lead Paint Indicator (% Pre-1960 Housing)	0.37	0.42	46	0.39	54	0.3	66
Superfund Proximity (site count/km distance)	0.025	0.095	12	0.12	15	0.13	23
RMP Proximity (facility count/km distance)	0.087	0.69	3	0.51	15	0.43	22
Hazardous Waste Proximity* (facility count/km distance)	N/A	0.12	N/A	0.11	N/A	0,11	N/A
Water Discharger Proximity (facility count/km distance)	0.48	0.38	76	0.31	81	0.31	83
Demographic Indicators		PARTY IN				11-2	
Demographic Index	40%	35%	66	29%	77	36%	63
Minority Population	26%	37%	48	24%	69	37%	47
Low Income Population	54%	32%	82	33%	83	35%	80
Linguistically Isolated Population	1%	5%	48	2%	64	5%	49
Population With Less Than High School Education	17%	12%	72	11%	78	14%	68
Population Under 5 years of age	11%	6%	88	6%	88	6%	86
Population over 64 years of age	12%	13%	53	14%	46	14%	51

^{*} The National-Scale Air Toxics Assessment (NATA) is EPA's ongoing, comprehensive evaluation of air toxics in the United States. EPA developed the NATA to prioritize air toxics, emission sources, and locations of interest for further study. It is important to remember that NATA provides broad estimates of health risks over geographic areas of the country, not definitive risks to specific individuals or locations. More information on the NATA analysis can be found at: https://www.epa.gov/national-air-toxics-assessment.

For additional information, see: www.epa.gov/environmental/ustice

⁺ The hazardous waste environmental indicator and the corresponding EJ index will appear as N/A if there are no hazardous waste facilities within 50 km of a selected location.